

100 SERIES: SINGLE-HUNG

| Glass Type | U- Value | SHGC | VLT |
|-------------------------------------|----------|------|------|
| Clear I.G. | 0.48 | 0.65 | 0.67 |
| Low E Hardcoat | 0.38 | 0.60 | 0.61 |
| Infinet E™ - Low E Hardcoat w/argon | 0.35 | 0.60 | 0.61 |
| Low E Softcoat | 0.34 | 0.43 | 0.57 |
| SupraGlas™ - Low E Softcoat w/argon | 0.30 | 0.43 | 0.57 |

300 SERIES: DOUBLE-HUNG

| Glass Type | U- Value | SHGC | VLT |
|-------------------------------------|----------|------|------|
| Clear I.G. | 0.47 | 0.62 | 0.64 |
| Low E Hardcoat | 0.37 | 0.58 | 0.59 |
| Infinet E™ - Low E Hardcoat w/argon | 0.34 | 0.58 | 0.59 |
| Low E Softcoat | 0.33 | 0.41 | 0.55 |
| SupraGlas™ - Low E Softcoat w/argon | 0.30 | 0.42 | 0.55 |

4800/1000 SERIES: DOUBLE-HUNG

| Glass Type | U- Value | SHGC | VLT |
|-------------------------------------|----------|------|------|
| Clear I.G. | 0.48 | 0.63 | 0.65 |
| Low E Hardcoat | 0.38 | 0.59 | 0.60 |
| Infinet E™ - Low E Hardcoat w/argon | 0.35 | 0.59 | 0.60 |
| Low E Softcoat | 0.34 | 0.42 | 0.56 |
| SupraGlas™ - Low E Softcoat w/argon | 0.31 | 0.42 | 0.56 |

2000 SERIES: DOUBLE-HUNG

| Glass Type | U- Value | SHGC | VLT |
|-------------------------------------|----------|------|------|
| Clear I.G. | 0.48 | 0.63 | 0.65 |
| Low E Hardcoat | 0.39 | 0.59 | 0.60 |
| Infinet E™ - Low E Hardcoat w/argon | 0.35 | 0.59 | 0.60 |
| Low E Softcoat | 0.35 | 0.42 | 0.56 |
| SupraGlas™ - Low E Softcoat w/argon | 0.31 | 0.42 | 0.56 |